


amoxoil retard®

i n j e c t a b l e s u s p e n s i o n

a m o x i c i l l i n



Metritis



Pneumonia



Digestive infections



Mastitis



Septicemia



1 injection: 48 hours of action
for five therapeutic indications



amoxoil retard®

an outstanding formulation



amoxicillin
injectable suspension
100 ml vial



1

Fast and long lasting effects against a broad range of pathogens

2

The product is **easily injected**

3

The suspension is **easily resuspended**, only after a few shakings

It is **effective** against Gram positive and Gram negative bacteria

The **product is absorbed rapidly** from the injection point

The **safety margin of the product is high**: higher dosages are well tolerated

It is **treatment of choice** against respiratory infections, colibacillosis, salmonellosis, atrophic rhinitis, metritis and mastitis

It is indicated in **Cattle, Sheep, Dogs, Cats** for treatment of gastrointestinal infections, respiratory infections, infections of urogenital tract and infections of the skin and soft tissue.

Composition per ml: Amoxicillin (trihydrate) 150 mg

Administration Route: Intramuscular or subcutaneous injection.

Withdrawal period: Cattle and Sheep: Meat: 50 days. Milk: 4 days.

Keep the product out of the reach of children. To be supplied only under veterinary prescription and respecting withdrawal periods

Dosage: 1 ml AMOXOIL RETARD® per per 10 kg live body weight, according to the veterinary directions (for 48 hour effect)



MANUFACTURER:

laboratorios **syva** s.a.u.

Avda. Párruco Pablo Díez, 49-57 • 24010 León (Spain)

Phone: +34 987 800 800 • Fax: +34 987 808 011

e-mail: export@syva.es • www.syva.es